

SDS Record Number: CSSS-TCO-010-141548

SAFETY DATA SHEET

According to Work Health and Safety Regulations 2011 and National Model Code of Practice for the preparation of Safety Data Sheets for Hazardous Chemicals

Version 2.0

Issue date: 15/09/2020 Revision date: 11/10/2020

SEAL & BOND SPECIAL PRIMER

1. Identification of the material and supplier

Material name: SEAL & BOND SPECIAL PRIMER

Other Names:

Recommended use: Primer.

Manufacturer:

Supplier(Manufacturer): Novatech International N.V.

*Novatio is a registered trademark of Novatech International N.V.

Address: Industrielaan 5B

B-2250 Olen

 Contact person(E-mail):
 info@novatio.be

 Telephone:
 +32 14 25 76 40

 Fax:
 +32 14 22 02 66

 Emergency number:
 +32 14 58 45 45

Importer

Company name: Olmurtech
Address: P.O. BOX 5939

Brendale DC, QLD. 4500

Australia

www.olmurtech.com.au

Contact person(E-mail): simone@olmurtech.com.au

Telephone: +61 0 426 177 310

Fax:

Emergency number: Poisons Information Centre 2 13 11 26

2. Hazards identification

GHS classification:

Physical hazards: Flammable aerosols Category 1

Pressurized container

Health hazards: Skin corrosion/irritation Category 2

Specific target organ toxicity (single exposure) Category 3

Environmental hazards: Hazardous to the aquatic environment - acute hazard Category 2

GHS label elements:

Hazard Pictograms: :



Created by: Brandweerinformatiecentrum voor gevaarlijke stoffen vzw (BIG)

Technische Schoolstraat 43 A, B-2440 Geel

http://www.big.be © BIG vzw

Product number: 50486 1 / 8

Signal word: Danger

Hazard statement: Extremely flammable aerosol.

Pressurized container: may burst if heated.

Causes skin irritation.

May cause drowsiness or dizziness.

Toxic to aquatic life with long lasting effects.

Precautionary statement:

Prevention: Keep away from heat/sparks/ open flames/hot surfaces. -No smoking.

Do not spray on an open flame or other ignition source. Pressurized container: Do not pierce or burn, even after use.

Wear protective gloves.

Response: IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for

breathing.

Storage: Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122°F.

Specific hazards: Not applicable.

3. Composition/information on ingredients					
Components	CAS No.	Percent			
hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, < 5% n-hexane	-	50% <c<75%< td=""></c<75%<>			
dimethyl ether	115-10-6	25% <c<50%< td=""></c<50%<>			
xylene	1330-20-7	5% <c<10%< td=""></c<10%<>			

4. First aid measures

Inhalation: Remove victim into fresh air. In case of respiratory problems, consult a doctor/medical

service.

Skin: If possible, wipe up/dry remove chemical. Then rinse/shower immediately with

(lukewarm) water. If irritation persists, consult a doctor/medical service.

Eye: Rinse immediately with (lukewarm) water. Remove contact lenses, if present and easy

to do. Continue rinsing. If irritation persists, consult a doctor/medical service.

Ingestion: Rinse mouth with water. If you feel unwell, consult a doctor/medical service. Do not

wait for symptoms to occur to consult Poison Center.

Notes to physician: Treat symptomatically.

5. Fire-fighting measures

Suitable extinguishing media: Small fire: Quick-acting ABC powder extinguisher, Quick-acting BC powder

extinguisher.

Major fire: Adapt extinguishing media to the environment for surrounding fires.

Extinguishing media which must not be

used for safety reasons:

Small fire: Quick-acting CO2 extinguisher, Water (water can be used to control jet

flame), Foam.

Major fire: Water (water can be used to control jet flame), Foam.

Specific hazards arising from the

chemical:

Upon combustion: CO and CO2 are formed. Pressurized container: May burst if

heated

Fire Fighting: Fire-fighters should wear appropriate protective equipment and self-contained

breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

HAZCHEM code None.

Created by: Brandweerinformatiecentrum voor gevaarlijke stoffen vzw (BIG)

Technische Schoolstraat 43 A, B-2440 Geel

http://www.big.be

© BIG vzw

6. Accidental release measures

Personal precautions: Stop engines and no smoking. No naked flames or sparks. Spark- and explosion proof

appliances and lighting equipment.

Containment procedures: Contain released product. Dam up the liquid spill.

Methods for cleaning up: Take up liquid spill into absorbent material. Scoop absorbed substance into closing

containers. Carefully collect the spill/leftovers. Clean contaminated surfaces with an excess of water. Take collected spill to manufacturer/competent authority. Wash

clothing and equipment after handling.

7. Handling and storage

Precautions for safe handling: Use spark-/explosion proof appliances and lighting system. Take precautions against

electrostatic charges. Keep away from naked flames/heat. Keep away from ignition

sources/sparks. Gas/vapor heavier than air at 20°C. Observe normal hygiene

standards. Remove contaminated clothing immediately.

Storage: Storage temperature: < 50 °C. Ventilation at floor level. Fireproof storeroom. Keep out

of direct sunlight. Meet the legal requirements. Keep away from: Heat sources, ignition

sources.

8. Exposure controls/personal protection

Control parameters

Occupational exposure limits

Australia. National Workplace OELs (Workplace Exposure Standards for Airborne Contaminants, Appendix A)

Components	Туре	Value
Dimethyl Ether (CAS 115-10-6)	STEL	950 mg/m3
		500 ppm
	TWA	760 mg/m3
		400 ppm
Xylene (CAS 1330-20-7)	STEL	655 mg/m3
		150 ppm
	TWA	350 mg/m3
		80 ppm

Australia. OELs. (Adopted National Exposure Standards for Atmospheric Contaminants in the Occupational Environment)

Components	Туре	Value
Dimethyl Ether (CAS 115-10-6)	STEL	950 mg/m3
		500 ppm
	TWA	760 mg/m3
		400 ppm
Xylene (CAS 1330-20-7)	STEL	655 mg/m3
		150 ppm
	TWA	350 mg/m3
		80 ppm

US. ACGIH Threshold Limit Values

Components	Туре	Value
Xylene (CAS 1330-20-7)	STEL	150 ppm
	TWA	100 ppm

UK. EH40 Workplace Exposure Limits (WELs)

Components	Туре	Value
Dimethyl Ether (CAS 115-10-6)	STEL	958 mg/m3

Created by: Brandweerinformatiecentrum voor gevaarlijke stoffen vzw (BIG)

Technische Schoolstraat 43 A, B-2440 Geel

http://www.big.be

© BIG vzw

		500 ppm
	TWA	766 mg/m3
		400 ppm
Xylene (CAS 1330-20-7)	STEL	441 mg/m3
		100 ppm
	TWA	220 mg/m3
		50 ppm

Germany. DFG MAK List (advisory OELs). Commission for the Investigation of Health Hazards of Chemical Compounds in the Work Area (DFG)

Components	Туре	Value
Dimethyl Ether (CAS 115-10-6)	TWA	1900 mg/m3
		1000 ppm
Xylene (CAS 1330-20-7)	TWA	440 mg/m3
		100 ppm

Biological limit values:

Germany. TRGS 903, BAT List (Biological Limit Values)

Components	Value	Determinant	Specimen	Sampling Time
Xylene (CAS 1330-20-7)	2000 mg/l	Methylhippur-(Tolur-)	Urine	*
		säure (alle Isomere)		
	1.5 mg/l	Xylol	Blood	*

^{* -} For sampling details, please see the source document.

ACGIH Biological Exposure Indices

Components	Value	Determinant	Specimen	Sampling Time
Xylene (CAS 1330-20-7)	1.5 g/g	Methylhippuric acids	Creatinine in urine	*

^{* -} For sampling details, please see the source document.

Appropriate engineering controls: Use process enclosures, local exhaust ventilation or other engineering controls to keep

worker exposure to airborne contaminants below any recommended or statutory limits.

Personal protective equipment:

Eye/face protection: Safety glasses (EN 166).

Skin protection: Head/neck protection. Protective clothing (EN 14605 or EN 13034). **Respiratory protection:** Full face mask with filter type A at conc. in air > exposure limit.

Hand protection: Protective gloves against chemicals (EN 374).

9. Physical and chemical properties

Appearance:

Physical state: Aerosol
Form: Aerosol

Color: Variable in color, depending on the composition

Odor: Characteristic odor
Odour threshold: Not available
PH: Not available
Melting point/Freezing point: Not available
Initial boiling point and boiling range: Not available
Flash point: Not available
Evaporation rate: Not available

Flammability (solid, gas): Extremely flammable aerosol.

Upper/lower flammability or explosive 0.6 - 26.2 vol %

limits:

Vapor pressure: 4000 hPa (20 °C)
Created by: Brandweerinformatiecentrum voor gevaarlijke stoffen vzw (BIG)
Technische Schoolstraat 43 A, B-2440 Geel

http://www.big.be © BIG vzw

Product number: 50486

4/8

Vapor density: Not available 0.71 (20 °C) Relative density: Solubility (H2O): Insoluble Partition coefficient (n-octanol/water): Not available Auto-ignition temperature: Not available **Decomposition temperature:** Not available Not available Dynamic viscosity: Kinematic viscosity: Not available Organic solvents: Not available Water: Not available VOC (EC): Not available Not available Solids contents:

Explosive properties: No chemical group associated with explosive properties

Oxidising properties: No chemical group associated with oxidising properties

Molecular Formula:Not availableMolecular Weight:Not availableAbsolute density:710 kg/m³ (20 °C)

10. Stability and reactivity

Reactivity: May be ignited by sparks. Gas/vapor spreads at floor level: ignition hazard.

Chemical stability: Unstable on exposure to heat.

Possibility of hazardous reactions: No dangerous reaction known under conditions of normal use.

Conditions to avoid: Incompatible materials. Use spark-/explosion proof appliances and lighting system.

Take precautions against electrostatic charges. Keep away from naked flames/heat.

Keep away from ignition sources/sparks.

Incompatible materials: Not available.

Hazardous decomposition products: Upon combustion: CO and CO2 are formed.

11. Toxicological information

Toxicological data:

Acute toxicity:

hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, < 5% n-hexane

LD50(Oral, Rat): > 8 mL/kg bw

LD50(Dermal, Rat): > 2800 - 3100 mg/kg bw

LC50(Inhalation, Rat): > 25.2 mg/L 4 h

Skin corrosion/Irritation: Causes skin irritation.

Serious eye damage/irritation: No data available.

Respiratory or skin sensitization: No data available.

Germ cell mutagenicity: No data available.

Carcinogenicity:No data available.Reproductive toxicity:No data available.

STOT- single exposure: May cause drowsiness or dizziness

STOT-repeated exposure: No data available.

Aspiration hazard: No data available.

Other information This product has no known adverse effect on human health.

12. Ecological information

Toxicity:

Created by: Brandweerinformatiecentrum voor gevaarlijke stoffen vzw (BIG) Technische Schoolstraat 43 A, B-2440 Geel http://www.big.be
© BIG vzw

5/8

hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, < 5% n-hexane

Acute t	oxicity	Time	Species	Method	Evaluation	Remarks
LL50	11.4 mg/L	96h	Fish	OECD 203	N/A	N/A
EL50	3 mg/L	48h	Daphnia	OECD 202	N/A	N/A
EL50	26 mg/L	72h	Algae	OECD 201	N/A	N/A

Persistence and degradability: Contains non readily biodegradable component(s).

Bioaccumulative potential: Does not contain bioaccumulative component(s).

Mobility in soil: Contains component(s) with potential for mobility in the soil.

Other adverse effects: No other adverse environmental effects (e.g. ozone depletion, photochemical ozone

creation potential, endocrine disruption, global warming potential) are expected from

this component.

13. Disposal considerations

Disposal methods: Collect and reclaim or dispose in sealed containers at licensed waste disposal site.

Waste from residues/unused products: Dispose of in accordance with local regulations. Empty containers or liners may retain

some product residues. This material and its container must be disposed of in a safe

manner (see: Disposal instructions).

Contaminated packaging: Empty containers should be taken to an approved waste handling site for recycling or

disposal. Since emptied containers may retain product residue, follow label warnings

even after container is emptied.

14. Transport information

ADG

UN number UN1950
Proper shipping name AEROSOLS

Hazard class 2.1 Packing group -

Special precautions Read safety instructions, SDS and emergency procedures before handling.

IATA

UN number UN1950
Proper shipping name AEROSOLS

Hazard class 2.1
Packing group -

Special precautions Read safety instructions, SDS and emergency procedures before handling.

IMDG

UN number UN1950
Proper shipping name AEROSOLS

Hazard class 2.1 Packing group -

Environmental hazards

Marine pollutant Yes

Special precautions Read safety instructions, SDS and emergency procedures before handling.

Transport in bulk according to Annex II

of MARPOL 73/78 and the IBC Code:

15. Regulatory information

Safety, health and environmental regulations

Created by: Brandweerinformatiecentrum voor gevaarlijke stoffen vzw (BIG) Technische Schoolstraat 43 A, B-2440 Geel http://www.big.be
© BIG vzw

Product number: 50486

6/8

National regulations

Australia Medicines & Poisons Appendix A/D/G/H/J/K / Australia Medicines & Poisons Schedule 10/2//3/4/7/8/9

Poisons schedule number not allocated.

Australia Medicines & Poisons Appendix B

Dimethyl Ether (CAS 115-10-6)

Australia Medicines & Poisons Appendix E/F/I / Australia Medicines & Poisons Schedule 5/6

Xylene (CAS 1330-20-7)

Australia National Pollutant Inventory (NPI): Threshold quantity

Xylene (CAS 1330-20-7) 10 TONNES/YR Threshold Category: 1

High Volume Industrial Chemicals (HVIC)

Xylene (CAS 1330-20-7) 10000 - 99999 TONNES See the regulation for additional information.

Importation of Ozone Deleting Substances (Customs(Prohibited imports) Regulations 1956, Schedule 10)

Not listed.

National Pollutant Inventory (NPI) substance reporting list

Not listed.

Prohibited Carcinogenic Substances

Not regulated.

Prohibited Substances (National Model Regulation for the control of Workplace Hazardous Substances, Schedule 2 NOHSC:1005 (1994) as amended)

Not listed.

Resricted Importation of Organochlorine Chemicals (Customs(Prohibited Imports) Regulations 1956, Schedule 9)

Not listed.

Restricted Carcinogenic Substances

Not regulated.

International regulations

Stockholm Convention

Not applicable

Rotterdam Convention

Not applicable.

Kyoto protocol

Not applicable.

Montreal Protocol

Not applicable.

Basel Convention

Not applicable.

Inventory status:

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Not available
Canada	Domestic /Non-Domestic Substances List (DSL) /(NDSL)	Not available
China	Inventory of Existing Chemical Substances in China (IECSC)	Not available
Europe	European Inventory of Existing Commercial/ Notified Chemical Substances (EINECS) / (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Not available
Korea	Existing Chemicals List (ECL)	Not available
New Zealand	New Zealand Inventory	Not available
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Not available
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Not available

^{*}A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s)

Created by: Brandweerinformatiecentrum voor gevaarlijke stoffen vzw (BIG)

Technische Schoolstraat 43 A, B-2440 Geel

http://www.big.be

© BIG vzw

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by

16. Other information

Indication of changes: Version 1.0

Training instructions: Not applicable.

Further information: This information is based upon the present state of our knowledge. This SDS has been compiled

and is solely intended for this product.

Notice to reader: Employers should use this information only as a supplement to other information gathered by them,

and should make independent judgment of suitability of this information to ensure proper use and

protect the health and safety of employees.

This information is furnished without warranty, and any use of the product not in conformance with this Safety Data Sheet, or in combination with any other product or process, is the responsibility of

the user.